

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/EH/2026-2027/3637/1

Date : 30/Jul/2026

M/s FITTECH INDUSTRIES PVT. LTD.

Unit No -12 J.D. Industrial Estate .Opp- Prasad International Hotel,
 Near Dahisar Check Naka,
 MIRA ROAD Maharashtra
 INDIA-401107

Subject : Enhancement Indian

Dear Sir/Madam

We refer to your application on subject matter and are pleased to inform that your enlistment has been enhanced with EIL for the items as described below:

List of Items	
S.No.	Item Description
1	FITTING BLOCK FORGED-CARBON STEEL
2	FITTING BLOCK FORGED-ALLOY STEEL
3	FITTING BLOCK FORGED-STAINLESS STEEL
4	O-LETS
5	FITTINGS FROM S/LESS PIPES-EXOTIC MATLS
6	FITTINGS FABRICATED FROM PLATE - C.S.
7	FITTINGS FABRICATED FROM PLATE - A.S.
8	FITTINGS FABRICATED FROM PLATE - S.S.
9	FITTINGS FAB. FROM PLATES-EXOTIC MATLS.

For detailed capability of supplier, kindly refer Annexure attached with this letter.

(This enlistment is valid for your works located at Survey 88 And 231, Poman Village Off Bhiwandi Kaman Road, VASAI, Maharashtra, INDIA-401208)

The validity of this ENLISTMENT is up to 31/Jan/2029.

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

Page 1 of 13

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/EH/2026-2027/3637/1

Date : 30/Jul/2026

Kindly note enlistment with EIL does not guarantee any regular flow of enquiries. For information on enquiries issued by EIL, kindly refer our Tender Website (<https://tenders.eil.co.in/>) / CPP portal (<https://eprocure.gov.in/cppp/>). In the event of direct / indirect orders for the projects executed by EIL, supplier shall quote / submit offer and supply material strictly as per the material / range / works as stated above including agreed responsibility matrix, as applicable. Secondly, kindly keep on submitting your regular quotes for EIL RFQ's failing which, EIL shall be entitled to declare you as Dormant supplier as per the Terms and Conditions for enlistment.

Any change in the product range, location of Works/Sales Office, Management/ Organization structure etc., shall be intimated to us immediately along with relevant document for our necessary action. Further, kindly update your contact details on regular basis so that you may keep on receiving EIL communications. Also, kindly ensure submission of your Audited Annual Report on yearly basis to enable us update your latest financial data.

Please note that this enlistment is subject to satisfactory execution of orders in delivery and quality of above items when ordered for various projects of EIL/our clients. You are expected to adopt ethics of highest standard and a very high degree of integrity, commitment & sincerity towards the work undertaken for projects under EIL execution, failing which, EIL shall be entitled to initiate actions as specified in EIL procedure for Suspension/Banning of business dealings, displayed on EIL website.

You are advised to apply for revalidation 'on-line', 6 months before expiry of the enlistment. Detailed procedures for revalidation can be seen on our website <https://enlist.eil.co.in/osems/>.

Kindly acknowledge unconditional acceptance of this letter and send us a signed and stamped copy of this letter for our records.

Legends for capability range:

- From "0" to "0" & "NA" implies "Not Approved" - From "1" to "1" or From "0" to "9999" or "99999" implies either "Capable for All" or "Refer remarks"

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/EH/2026-2027/3637/1

Date : 30/Jul/2026

Thanking you,
Very truly yours,

RAJESH
SINHA

RAJESH SINHA

GROUP GENERAL MANAGER & HOD (PDD)

Digitally signed by RAJESH SINHA
DN: c=IN, o=ENGINEERS INDIA LIMITED,
ou=Admin,
2.5.4.20=76CC6613C7DBF3F81B26FB73FB4A02
27B67C87E3D8BE09321403DEE1B7049B96,
postalCode=110066, st=DELHI,
serialNumber=4244A4105C00B82723A9DBF82
D7D77B4062E3D64D5C15F6F246643E052EEB3
B6, cn=RAJESH SINHA
Date: 2026.07.30 12:23:25 +05'30'



Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

Page 3 of 13

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/EH/2026-2027/3637/1

Date : 30/Jul/2026

Annexure - Capability of Supplier

Supplier : 3637 - FITTECH INDUSTRIES PVT. LTD.

Item : 71AA - FITTING BLOCK FORGED-CARBON STEEL

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	0.5	1.5	
1	Fitting Rating(LBS)	2000	9000	
1	Fitting Material	CS Material		
1	Fitting Type (Forge/Seamless/Fabricated)	FORGE		

Item : 71AB - FITTING BLOCK FORGED-ALLOY STEEL

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	0.5	1.5	
1	Fitting Rating(LBS)	2000	9000	
1	Fitting Material	Gr.11,22,5,9		
1	Fitting Type (Forge/Seamless/Fabricated)	FORGE		

Item : 71AC - FITTING BLOCK FORGED-STAINLESS STEEL

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	0.5	1.5	
1	Fitting Rating(LBS)	2000	9000	
1	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
1	Fitting Type (Forge/Seamless/Fabricated)	FORGE		

Item : 71AD - O-LETS

Group	Parameter Description	From	To	Remarks
1	Elbow-S.R.(INCH)	NA	NA	
1	Nippolet	Refer remarks		Thredolet:-Material CS/SS/AS Branch size-0.5-2". Other parameter viz thickness, run/branch pipe ratio, qualification range to be calculated as per MSS SP 97 based on proof test conducted on 1 1/4" Sch 80 x 1" 3000 #

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

Page 4 of 13

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/EH/2026-2027/3637/1

Date : 30/Jul/2026

Annexure - Capability of Supplier

Supplier : 3637 - FITTECH INDUSTRIES PVT. LTD.

Item : 71AD - O-LETS

Group	Parameter Description	From	To	Remarks
1	Sockolet	Refer remarks		Sockolet:- Material CS/SS/AS Branch size-0.5-3". Other parameter viz thickness, run/branch pipe ratio, qualification range to be calculated as per MSS SP 97 based on proof test conducted on 5 "Sch 80 x 2" 3000 # and 1 1/4" Sch 80 x 1" 3000 #.
1	Weldolet	Refer remarks		Weldolet:-Material CS/SS/AS Branch size-0.5-24" Other parameter viz thickness, run/branch pipe ratio, qualification range to be calculated as per MSS SP 97 based on proof test conducted on 5" Sch 80 x 4" Sch 80 ,1" Sch 80 X 1" Sch 80 and 14" Sch XS x 12" Sch XS
1	ELBOWLET	NA		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

Page 5 of 13

पंजीकृत एवं कॉर्पोरेट कार्यालय : इंजीनियर्स इंडिया भवन, 1, भीकाएजी कामा प्लेस, नई दिल्ली-110 066 भारत
 Regd. & Corporate Office : Engineers India Bhawan, 1, Bhikaiji Cama Place, New Delhi-110 066 INDIA

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/EH/2026-2027/3637/1

Date : 30/Jul/2026

Annexure - Capability of Supplier

Supplier : 3637 - FITTECH INDUSTRIES PVT. LTD.

Item : 72AD - FITTINGS FROM S/LESS PIPES-EXOTIC MATLS

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	2	12	
1	Fitting Material	Inconel 625(UNS N06625)		
1	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
1	Fitting Schedule	5	XS	
1	Fitting Thickness(MM)	1.65	12.7	
1	Fitting Description	ELBOW-LR		
2	Fitting Size(INCH)	2	12	
2	Fitting Material	Inconel 625(UNS N06625)		
2	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
2	Fitting Schedule	5	XS	
2	Fitting Thickness(MM)	1.65	12.7	
2	Fitting Description	ELBOW-SR		
3	Fitting Size(INCH)	2	12	
3	Fitting Material	Inconel 625(UNS N06625)		
3	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
3	Fitting Schedule	5	XS	
3	Fitting Thickness(MM)	1.65	12.7	
3	Fitting Description	REDUCER-CON		
4	Fitting Size(INCH)	2	12	
4	Fitting Material	Inconel 625(UNS N06625)		
4	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
4	Fitting Schedule	5	XS	
4	Fitting Thickness(MM)	1.65	12.7	
4	Fitting Description	REDUCER-ECC		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

Page 6 of 13

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/EH/2026-2027/3637/1

Date : 30/Jul/2026

Annexure - Capability of Supplier

Supplier : 3637 - FITTECH INDUSTRIES PVT. LTD.

Item : 72AD - FITTINGS FROM S/LESS PIPES-EXOTIC MATLS

Group	Parameter Description	From	To	Remarks
5	Fitting Size(INCH)	2	12	
5	Fitting Material	Inconel 625(UNS N06625)		
5	Fitting Type (Forge/Seamless/Fabricated)	SEAMLESS		
5	Fitting Schedule	5	XS	
5	Fitting Thickness(MM)	1.65	12.7	
5	Fitting Description	TEE		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

Page 7 of 13

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/EH/2026-2027/3637/1

Date : 30/Jul/2026

Annexure - Capability of Supplier

Supplier : 3637 - FITTECH INDUSTRIES PVT. LTD.

Item : 74AA - FITTINGS FABRICATED FROM PLATE - C.S.

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	24	72	
1	Fitting Material	CS Material		
1	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
1	Fitting Thickness(MM)	0	18	
1	Fitting Description	ELBOW-LR		
2	Fitting Size(INCH)	24	72	
2	Fitting Material	CS Material		
2	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
2	Fitting Thickness(MM)	0	18	
2	Fitting Description	ELBOW-SR		
3	Fitting Size(INCH)	24	72	
3	Fitting Material	CS Material		
3	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
3	Fitting Thickness(MM)	0	18	
3	Fitting Description	REDUCER-CON		
4	Fitting Size(INCH)	24	72	
4	Fitting Material	CS Material		
4	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
4	Fitting Thickness(MM)	0	18	
4	Fitting Description	REDUCER-ECC		
5	Fitting Size(INCH)	24	72	
5	Fitting Material	CS Material		
5	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
5	Fitting Thickness(MM)	0	18	
5	Fitting Description	TEE		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

Page 8 of 13

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/EH/2026-2027/3637/1

Date : 30/Jul/2026

Annexure - Capability of Supplier

Supplier : 3637 - FITTECH INDUSTRIES PVT. LTD.

Item : 74AB - FITTINGS FABRICATED FROM PLATE - A.S.

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	18	28	
1	Fitting Material	Gr.11		
1	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
1	Fitting Thickness(MM)	0	20	
1	Fitting Description	ELBOW-LR		
2	Fitting Size(INCH)	18	28	
2	Fitting Material	Gr.11		
2	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
2	Fitting Thickness(MM)	0	20	
2	Fitting Description	ELBOW-SR		
3	Fitting Size(INCH)	18	28	
3	Fitting Material	Gr.11		
3	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
3	Fitting Thickness(MM)	0	20	
3	Fitting Description	REDUCER-CON		
4	Fitting Size(INCH)	18	28	
4	Fitting Material	Gr.11		
4	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
4	Fitting Thickness(MM)	0	20	
4	Fitting Description	REDUCER-ECC		
5	Fitting Size(INCH)	18	28	
5	Fitting Material	Gr.11		
5	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
5	Fitting Thickness(MM)	0	20	
5	Fitting Description	TEE		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

Page 9 of 13

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/EH/2026-2027/3637/1

Date : 30/Jul/2026

Annexure - Capability of Supplier

Supplier : 3637 - FITTECH INDUSTRIES PVT. LTD.

Item : 74AC - FITTINGS FABRICATED FROM PLATE - S.S.

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	18	60	
1	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
1	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
1	Fitting Thickness(MM)	0	18	
1	Fitting Description	ELBOW-LR		
2	Fitting Size(INCH)	18	60	
2	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
2	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
2	Fitting Thickness(MM)	0	18	
2	Fitting Description	ELBOW-SR		
3	Fitting Size(INCH)	18	60	
3	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
3	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
3	Fitting Thickness(MM)	0	18	
3	Fitting Description	REDUCER-CON		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

Page 10 of 13

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/EH/2026-2027/3637/1

Date : 30/Jul/2026

Annexure - Capability of Supplier

Supplier : 3637 - FITTECH INDUSTRIES PVT. LTD.

Item : 74AC - FITTINGS FABRICATED FROM PLATE - S.S.

Group	Parameter Description	From	To	Remarks
4	Fitting Size(INCH)	18	60	
4	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
4	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
4	Fitting Thickness(MM)	0	18	
4	Fitting Description	REDUCER-ECC		
5	Fitting Size(INCH)	18	60	
5	Fitting Material	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
5	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
5	Fitting Thickness(MM)	0	18	
5	Fitting Description	TEE		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

Page 11 of 13

पंजीकृत एवं कॉर्पोरेट कार्यालय : इंजीनियर्स इंडिया भवन, 1, भीकाएजी कामा प्लेस, नई दिल्ली-110 066 भारत
 Regd. & Corporate Office : Engineers India Bhawan, 1, Bhikaiji Cama Place, New Delhi-110 066 INDIA

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/EH/2026-2027/3637/1

Date : 30/Jul/2026

Annexure - Capability of Supplier

Supplier : 3637 - FITTECH INDUSTRIES PVT. LTD.

Item : 74AD - FITTINGS FAB. FROM PLATES-EXOTIC MATLS.

Group	Parameter Description	From	To	Remarks
1	Fitting Size(INCH)	16	28	
1	Fitting Material	Inconel 625(UNS N06625)		
1	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
1	Fitting Schedule	-	-	
1	Fitting Thickness(MM)	0	20	
1	Fitting Description	ELBOW-LR		
2	Fitting Size(INCH)	16	28	
2	Fitting Material	Inconel 625(UNS N06625)		
2	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
2	Fitting Schedule	-	-	
2	Fitting Thickness(MM)	0	20	
2	Fitting Description	ELBOW-SR		
3	Fitting Size(INCH)	16	28	
3	Fitting Material	Inconel 625(UNS N06625)		
3	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
3	Fitting Schedule	-	-	
3	Fitting Thickness(MM)	0	20	
3	Fitting Description	REDUCER-CON		
4	Fitting Size(INCH)	16	28	
4	Fitting Material	Inconel 625(UNS N06625)		
4	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
4	Fitting Schedule	-	-	
4	Fitting Thickness(MM)	0	20	
4	Fitting Description	REDUCER-ECC		

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

Page 12 of 13

PROCUREMENT DEVELOPMENT DEPARTMENT

Ref. : 4994/PDD/I/EH/2026-2027/3637/1

Date : 30/Jul/2026

Annexure - Capability of Supplier

Supplier : 3637 - FITTECH INDUSTRIES PVT. LTD.

Item : 74AD - FITTINGS FAB. FROM PLATES-EXOTIC MATLS.

Group	Parameter Description	From	To	Remarks
5	Fitting Size(INCH)	16	28	
5	Fitting Material	Inconel 625(UNS N06625)		
5	Fitting Type (Forge/Seamless/Fabricated)	FABRICATED		
5	Fitting Schedule	-	-	
5	Fitting Thickness(MM)	0	20	
5	Fitting Description	TEE		

Note : For interpretation of capability range, refer legends (if any) as mentioned in Enlistment Letter.

Disclaimer : This is a system generated letter and authentication of the same shall only be verified from original e-signed letter issued by EIL.

Page 13 of 13